<del></del>	Application No.	Applicant(s)
Notice of Allowability	Application No.	Applicant(s)
	10/622,034	JAYASEKARA, WIPUL
	Examiner	Art Unit
	Craig A. Renner	2652
		<u> </u>
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to paper(s) filed 21 October 2005.		
2. The allowed claim(s) is/are 21 and 23 (renumbered 1 and 2, respectively).		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ⊠ including changes required by the attached Examiner's Amendment / Comment e <del>r in the Office action of Paper No./Mail Date</del>		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
	,	•
Attachment(s)	<u> </u>	
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summary</li> <li>Raper No /Mail Dat</li> </ol>	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	3), 7. 🛭 Examiner's Amendo	
4.   Examiner's Comment Regarding Requirement for Deposit	8.   Examiner's Stateme	nt of Reasons for Allowance .
of Biological Material	9.	
•		

Application/Control Number: 10/622,034

Art Unit: 2652

1. The terminal disclaimer filed on 21 October 2005 disclaiming the terminal portion

Page 2

of any patent granted on this application which would extend beyond the expiration date

of Application Number 10/621,483 has been reviewed and is accepted. The terminal

disclaimer has been recorded.

2. An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with Ronald B. Feece on 2 November 2005.

3. The application has been amended as follows:

IN THE CLAIMS:

Claims 1, 10, 11 and 20 have been canceled without prejudice or disclaimer.

IN THE TITLE:

The title has been amended to reads as follows:

-- MAGNETIC TUNNEL JUNCTION SENSOR WITH NICKEL-OXIDE LONGITUDINAL

BIAS LAYER ABUTTING OPPOSITE SIDES OF ACTIVE REGION--.

Application/Control Number: 10/622,034

Art Unit: 2652

4. The following changes to the drawings have been approved by the examiner and

Page 3

agreed upon by applicant:

In FIG. 7, both instances of "HM" will be removed from the drawing.

In order to avoid abandonment of the application, applicant must make these

above agreed upon drawing changes.

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Craig A. Renner whose telephone number is (571) 272-

7580. The examiner can normally be reached on Tuesday-Friday 9:00 AM - 7:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, A. L. Wellington can be reached on (571) 272-4483. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Craiģ A. Renner Briman, Evaminas

Primary Examiner

Art Unit 2652